

# CERTIFICATE OF ANALYSIS, QUALITY AND CONFORMITY






Product Name: Leishman stain	
Product Code: CH054	Expiry Date : 18/05/2024
Lot Number: 03500516	Release Date: 18/05/2016
Analytical Report Number: QAD/AR-16/05-724	Page No : Page 1 of 1

TESTS CONDUCTED	SPECIFICATIONS	OBSERVATIONS	REMARKS
CAS No.	12627-53-1	12627-53-1	Complies.
Chemical Name	Eosin-methylene blue	Eosin-methylene blue	Complies.
Appearance	Dark green to black powder	Dark green to black powder	Complies.
Solubility @60°C	20 ppm solution in methanol yields blue solution with green fluorescence	20 ppm solution in methanol yields blue solution with green fluorescence	Complies.
Loss on Drying (110°C)	<8%	7.2%	Complies.
Packing & Storage	Packed in well closed containers	Packed in well closed containers	Complies

## Final Results: **COMPLIES**

This is to certify that this lot passes and it conforms to the above mentioned tests and specifications.

		
<b>TESTED BY</b> (Soniya Sebastian) MICROBIOLOGIST	<b>CHECKED BY</b> (Vijayalaxmi Pujari) HEAD MICROBIOLOGY	<b>APPROVED BY</b> (Rupali Sabale) HEAD QUALITY ASSURANCE

End of the Report

Rev. 2

01/10/2013

QAD/FR/01

Micromaster Laboratories Pvt. Ltd.  
Manufacture & Exporter

Culturing your needs in Microbiology...

38/39, Kalpataru Industrial Estate, Opp Lawkim, Off. Ghodbunder Rd.,  
Near Runwal Estate, Thane (W) 400 607, Maharashtra, INDIA.  
Ph: +91-22-2589 5505, 4760, 4681, 9320126789  
Email: micromaster@micromasterlab.com

