

CERTIFICATE OF ANALYSIS, QUALITY AND CONFORMITY



Product Name: Milk Agar	
Product Code: DM167	Expiry Date : 29/04/2022
Lot Number: 02580417	Release Date: 29/04/2017
Analytical Report Number: QAD/AR-17/04-488	Page No: 1 of 2

DEHYDRATED MEDIUM			
TEST CONDUCTED	SPECIFICATION	OBSERVATIONS	REMARKS
Color	Cream to yellow	Cream to yellow	Complies
Consistency	Homogenous, free flowing powder	Homogenous, free flowing powder	Complies
PREPARED MEDIUM			
TEST CONDUCTED	SPECIFICATION	OBSERVATIONS	REMARKS
Color of medium	Light yellow coloured	Light yellow coloured	Complies
Clarity of medium (After sterilization)	Slightly opalescent gel forms in petri plates	Slightly opalescent gel formed in petri plates	Complies
pH (After sterilization)	7.00-7.40 at 25 °C	7.16	Complies
Gel strength	Firm as compared to 1.5% Agar gel	Firm as compared to 1.5% Agar gel	Complies

CULTURAL PARAMETERS:

Organisms	Incubation time/ temp	No. of organisms inoculated	No. of organisms recovered	Percentage recovery	Growth	Remarks
<i>Bacillus subtilis</i> ATCC 6633	35 - 37°C/ 18 - 48 hrs.	75	59	78%	Good-luxuriant	Complies
<i>Pseudomonas aeruginosa</i> ATCC 27853	35 - 37°C/ 18 - 48 hrs.	87	67	77%	Good-luxuriant	Complies
<i>Lactobacillus casei</i> ATCC 9595	35 - 37°C/ 18 - 48 hrs.	73	56	76%	Good-luxuriant	Complies
<i>Staphylococcus aureus</i> ATCC 25923	35 - 37°C/ 18 - 48 hrs.	85	64	75%	Good-luxuriant	Complies
<i>Serratia marcescens</i> ATCC 8100	35 - 37°C/ 18 - 48 hrs.	78	60	77%	Good-luxuriant	Complies

Rev. 2

01/10/2013

QAD/FR/01

Micromaster Laboratories Pvt. Ltd.
Manufacture & Exporter

Culturing your needs in Microbiology...

38/39, Kalpataru Industrial Estate, Opp Lawkim, Off. Ghodbunder Rd.,
Near Runwal Estate, Thane (W) 400 607, Maharashtra, INDIA.
Ph: +91-22-2589 5505, 4760, 4681, 9320126789
Email: micromaster@micromasterlab.com






CERTIFICATE OF ANALYSIS, QUALITY AND CONFORMITY



Product Name: Milk Agar	
Product Code: DM167	Expiry Date : 29/04/2022
Lot Number: 02580417	Release Date: 29/04/2017
Analytical Report Number: QAD/AR-17/04-488	Page No: 2 of 2

Final Results: COMPLIES

This is to certify that this lot passes and it conforms to the above mentioned tests and specifications.

		
TESTED BY (Daniya Kazi) MICROBIOLOGIST	CHECKED BY (Vijayalakshmi Poojari) HEAD MICROBIOLOGY	APPROVED BY (Rupali Sabale) HEAD QUALITY ASSURANCE

End Of The Report

Rev. 2

01/10/2013

QAD/FR/01

Micromaster Laboratories Pvt. Ltd.
Manufacture & Exporter

Culturing your needs in Microbiology...

38/39, Kalpataru Industrial Estate, Opp Lawkim, Off. Ghodbunder Rd.,
Near Runwal Estate, Thane (W) 400 607, Maharashtra, INDIA.
Ph: +91-22-2589 5505, 4760, 4681, 9320126789
Email: micromaster@micromasterlab.com

