






# MATERIAL SAFETY DATA SHEET

Section 1. Company Identification and Product Information			
<b>Product Name or Identity:</b> DM178 Nitrate Agar			
<b>Manufacturer's Name &amp; Address</b>	Micromaster Laboratories Private Limited Unit 38/39, Kalpataru Industrial Estate, Off Ghodbunder Road, Nr. 'R-Mall' Thane (W)-400607. M.S. INDIA.	<b>Emergency Phone No.:</b>	+91 22 25895505/ 25894681 /25894760
<b>Reference:</b>	According to Regulation (EC) No.1907/2006	<b>Email:</b>	micromaster@micromaster lab.com
Section 2. Composition / Information on Hazardous Ingredients			
Ingredients	Grams/Litre	Ingredients	Grams/Litre
Peptic digest of animal tissue	5.00	Beef extract	3.00
*Potassium nitrate	1.00	Agar	12.00
<b>Final pH (at 25°C) 6.8±0.2</b> * Oxidising material			
	Potassium nitrate CAS No. : 7757-79-1 R : 8 S : 17-24/25 RTECS : TT 3700000		
Section 3. Health Hazard Identification			
	Hazard : Oxidizing substances can ignite combustible material or worsen existing fires and thus make fire-fighting more difficult. Caution : Keep away from combustible material		
Section 4. First Aid Measures			
<b>Description of first aid measures</b> <b>General advice</b> Consult a physician. Show this safety data sheet to the doctor in attendance. <b>If inhaled</b> In case of swallowing, wash out mouth with water provided person is conscious. <b>In case of skin contact</b> flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes <b>In case of eye contact</b> Wash with copious amounts of water for at least 15 minutes. Assure adequate washing by separating the eyelids with fingers. In serious conditions, call a physician, show the container or label.			
Section 5. Fire and Explosion Hazard Data			
<b>Extinguishing media</b> <b>Suitable extinguishing media</b> Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Special fire-fighting procedures. Wear self contained breathing apparatus and protective clothing to prevent contact with skin and eyes. <b>Advice for firefighters</b> Special fire-fighting procedures. Wear self contained breathing apparatus and protective clothing to			



## MATERIAL SAFETY DATA SHEET

prevent contact with skin and eyes.
<b>Section 6. Accidental Release Measures</b>
Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.
<b>Section 7. Handling and Storage</b>
<b>Handling</b> - Refer to Section 8 <b>Storage</b> - Store below 30°C
<b>Section 8. Exposure Controls / Personal Protection</b>
Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, other protective clothing. Mechanical exhaust required.
<b>Section 9. Physical and Chemical Properties</b>
Appearance : Homogeneous powder Colour : Cream to yellow
<b>Section 10. Stability and Reactivity</b>
<b>Stability</b> : Product is stable if stored as per the conditions specified under storage of Section No. 7. Product loses its potency/performance above 45°C. <b>Conditions to avoid</b> : Heat and light. Hazardous polymerization will not occur
<b>Section 11. Toxicological Information</b>
Acute Effects : May be harmful if swallowed. Exposure can cause : Stomach pains, vomiting, diarrhea. Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals. RTECS No. : TT 3700000 For complete information RTECS may be referred.
<b>Section 12. Ecological Information</b>
Data not available
<b>Section 13. Disposal Considerations</b>
On completion of work all used or unusable preparations of this product and derivatives thereof are to be disposed off by autoclaving and/or by incineration. Dispose off waste in accordance with all applicable Federal, State and local laws.
<b>Section 14. Transport Information</b>
UN No. : Not applicable.
<b>Section 15. Regulatory Information</b>
Risk Phrases : Contact with combustible material may cause fire Safety Phrases : Keep away from combustible material Safety Phrases : Avoid contact with skin or eyes
 Significance of signs : Oxidizing substances can ignite combustible material or worsen existing fires and thus make fire-fighting more difficult.



## MATERIAL SAFETY DATA SHEET

---

### Section 16. Other Information

**WARRANTY :**

This document is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Micromaster Laboratories shall not be held liable for any damage resulting from handling or from contact with the above Product. These suggestions should not be confused with state, municipal or insurance requirements, and constitute no warranty.

**DISCLAIMER:**

For Laboratory use only. Not for drug, household or other uses.

DM178MSDS, QAD/FR/030, Rev.00/01.01.2018