



PRODUCT SPECIFICATION SHEET

Oat Meal Agar (DM1817)

Intended Use

Oat Meal Agar (DM1817) is recommended for cultivation of fungi, particularly for macrospore formation.

Product Summary and Explanation

Fungi are multicellular heterotrophic members of the plant kingdom that lack roots and stems and are referred to as thallophytes. They are more complex in their morphology and larger than the bacteria. In the identification of various fungi, the form of sporulation and the type of spore are important criteria. Fungi are extremely successful organisms, as evidenced by their ubiquity in nature. Of the estimated 250,000 species, fewer than 150 are known as primary pathogens of humans.⁽¹⁾ The morphologic differences in their reproductive structure is the primary criteria for identification and classification of fungi. Fungi reproduce sexually or asexually or by both means. Sexual reproduction is associated with the formation of specialized structures that facilitate fertilization and nuclear fission, resulting in the production of specialized spores. Large, multicelled spores are called macroconidia, macroaleuriospores or macrospores and are produced by aerial sporulation.⁽²⁾ Imperfect fungi are those in which no sexual phase has been demonstrated. The spores are produced directly or from the mycelium. Most of the fungi of medical importance belong to the imperfect group. The detection of fungi is a great concern in the pharmaceutical, food and cosmetic industry.

Principles of the Procedure

Oat meal Agar contains oat meal which is a source of nitrogen, carbon, protein and nutrients necessary for the growth of fungi.

Formula / Liter

Ingredients	Gms / Liter
Oat Meal	60.00
Agar	12.50
Final pH: 7.2 ± 0.2 at 25°C	
Formula may be adjusted and/or supplemented as required to meet performance specifications	

Precautions

1. For Laboratory Use only.
2. IRRITANT. Irritating to eyes, respiratory system, and skin.

Directions

1. Suspend 72.5 grams of the medium in one liter of distilled water.
2. Heat to boiling to dissolve the medium completely.
3. Autoclave at 121°C, 15 psi pressure, for 15 minutes / validated cycle.
4. Mix well and pour into sterile petri plates.

Quality Control Specifications

Dehydrated Appearance	Cream to yellow homogeneous soft lumps which can be easily broken down to powder
Prepared Medium	Light amber coloured slightly opalescent gel forms in Petri plates
Reaction of 7.25% solution	pH 7.2 ± 0.2 at 25°C
Gel Strength	Firm, comparable with 1.25% Agar gel.





PRODUCT SPECIFICATION SHEET

Expected Cultural Response: Cultural characteristics observed after an incubation at 25-30°C for 18-48 hours.

Sr. No.	Organisms	Results to be achieved
		Growth
1.	<i>Aspergillus brasiliensis</i> ATCC 16404	good-luxuriant
2.	<i>Candida albicans</i> ATCC 10231	good-luxuriant
3.	<i>Saccharomyces cerevisiae</i> ATCC 9763	good-luxuriant

The organisms listed are the minimum that should be used for quality control testing.

Test Procedure

Refer to appropriate references for standard test procedures.

Results

Refer to appropriate references and standard test procedures for interpretation of results.

Storage

Store the sealed bottle containing the dehydrated medium at 10 - 30°C. Once opened and recapped, place container in a low humidity environment at the same storage temperature. Protect from moisture and light.

Expiration

Refer to the expiration date stamped on the container. The dehydrated medium should be discarded if not free flowing, or if the appearance has changed from the original color. Expiry applies to medium in its intact container when stored as directed.

Limitations of the Procedure

1. For identification, organisms must be in pure culture. Morphological, biochemical and/or serological tests should be performed for final identification.
2. Consult appropriate texts for detailed information and recommended procedures.

Packaging

Product Name : Oat Meal Agar

Product Code : DM1817

Available Pack sizes : 500gm

References

1. Murray P. R., Baron E. J., Jorgensen J. H., Tenover F. C., Tenover F. C., (Eds.), 8th Ed., 2003, Manual of Clinical Microbiology, ASM, Washington, D.C.
2. Koneman E. W., Allen S. D., Janda W. M., Schreckenberger P. C. and Winn W. C. Jr., 1997, Colour Atlas and Textbook of Diagnostic Microbiology, 5th Ed., Lippincott- Raven Publishers, Philadelphia, Pa.

Further Information

For further information please contact your local MICROMASTER Representative.



MICROMASTER LABORATORIES PRIVATE LIMITED

DM1817PSS,QAD/FR/024,Rev.00/01.01.2018




Unit 38/39, Kalpataru Industrial Estate,
Off G.B. Road, Near 'R-Mall', Thane (W) - 400607. M.S. INDIA.
Ph: +91-22-25895505, 4760, 4681. Cell: 9320126789.

Email: micromaster@micromasterlab.com
sales@micromasterlab.com





PRODUCT SPECIFICATION SHEET

Prepared By	Checked By	Approved By
 01.01.2018	 01.01.2018	 01.01.2018
Microbiologist	Head Quality Control	Head Quality Assurance

Disclaimer :

All Products conform exclusively to the information contained in this and other related Micromaster Publications. Users must ensure that the product(s) is appropriate for their application, prior to use. The information published in this publication is based on research and development work carried out in our laboratory and is to the best of our knowledge true and accurate. Micromaster Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are intended for laboratory, diagnostic, research or further manufacturing use only and not for human or animal or therapeutic use, unless otherwise specified. Statements included herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

