










MATERIAL SAFETY DATA SHEET

Section 1. Company Identification and Product Information			
Product Name or Identity: DM1823-PKU Test Agar with Thienylalanine			
Manufacturer's Name & Address	Micromaster Laboratories Private Limited Unit 38/39, Kalpataru Industrial Estate, Off Ghodbunder Road, Nr. 'R-Mall' Thane (W)-400607. M.S. INDIA.	Emergency Phone No. :	+91 22 25895505/25894681/2 5894760
Reference:	According to Regulation (EC) No.1907/2006	Email:	micromaster@micromasterlab.com
Section 2. Composition / Information on Hazardous Ingredients			
Ingredients	Grams/Litre	Ingredients	Grams/Litre
L-Glutamic acid	0.50	DL-Alanine	0.50
Asparagine	0.50	Dextrose	10.00
Dipotassium phosphate	15.00	Monopotassium phosphate	5.00
*Ammonium chloride	2.50	*Ammonium nitrate	0.50
Sodium sulphate	0.50	Magnesium sulphate	0.05
*Manganese chloride	0.005	*Ferric chloride	0.005
*Calcium chloride	0.0025	B-2-Thienylalanine	0.0033
Agar	15.00		
Final pH (at 25°C) 7.0±0.2			
* Harmful / Irritant / Oxidising material			
	Ammonium chloride CAS No. : 12125-02-9 R : 22-36 S : 22 RTECS : BP 4550000		
 	Ammonium nitrate CAS No. : 6484-52-2 R : 8-36/37/38 S : 15-17-26-36 RTECS : BR 9050000		
	Manganese chloride CAS No. : 7773-01-05 R : 20/21/22-36/37/38-40 S : 26-27-36/37/39 RTECS : OO 9650000		
 	Ferric chloride CAS No. : 7705-08-0 R : 22-34 S : 22-26-27-36/37/39-45 RTECS : LJ 9100000		
	Calcium chloride CAS No. : 10043-52-4 R : 36 S : 22-24 RTECS : EV 9800000		



MATERIAL SAFETY DATA SHEET

Section 3. Health Hazard Identification

Hazard : Inhalation and ingestion of, or skin penetration by these substances is harmful to one's health. Non-recurring, recurring or lengthy exposure to these substances may result in irreversible damage.



Caution : Avoid contact with the human body, including inhalation of the vapours and in cases of malaise consult a doctor.



Hazard : This symbol designates substances which may have an irritant effect on skin, eyes and respiratory organs.

Caution : Do not breathe vapours and avoid contact with skin and eyes.



Hazard : Oxidizing substances can ignite combustible material or worsen existing fires and thus make fire-fighting more difficult.

Caution : Keep away from combustible material.



Hazard : Living tissue as well as equipment are destroyed on contact with these chemicals.

Caution : Do not breathe vapours and avoid contact with skin, eyes and clothing.

Section 4. First Aid Measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

In case of swallowing, wash out mouth with water provided person is conscious.

In case of skin contact

flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes

In case of eye contact

Wash with copious amounts of water for at least 15 minutes. Assure adequate washing by separating the eyelids with fingers. In serious conditions, call a physician, show the container or label.

Section 5. Fire and Explosion Hazard Data

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special fire-fighting procedures. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Advice for firefighters

Special fire-fighting procedures. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Section 6. Accidental Release Measures

Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

Section 7. Handling and Storage

Handling - Refer to Section 8

Storage - Store below 30°C

Section 8. Exposure Controls / Personal Protection

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, other protective clothing. Mechanical exhaust required.







MATERIAL SAFETY DATA SHEET

Section 9. Physical and Chemical Properties
Appearance : Homogeneous powder Colour : Light yellow
Section 10. Stability and Reactivity
Stability: Product is stable if stored as per the conditions specified under storage of Section No. 7. Product loses its potency/performance above 45°C. Conditions to avoid: Heat and light. Decomposition products: if product is decomposed toxic fumes of carbon monoxide and carbon dioxide may evolve. Hazardous polymerization will not occur.
Section 11. Toxicological Information
Acute Effects : May be harmful if swallowed. Exposure can cause : Stomach pains, vomiting, diarrhoea. Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals. RTECS No. : NO 85 10000 BP 68250 00 For complete information RTECS may be referred.
Section 12. Ecological Information
Data not available
Section 13. Disposal Considerations
On completion of work all used or unusable preparations of this product and derivatives thereof are to be Disposed of by autoclaving and/or by incineration. Dispose of waste in accordance with all applicable Federal, State and local laws.
Section 14. Transport Information
UN No. : Not applicable.
Section 15. Regulatory Information
Risk Phrases : Harmful if swallowed Risk Phrases : Irritating to eyes Risk Phrases : Contact with combustible material may cause fire Risk Phrases : Irritating to eyes, respiratory system and skin Risk Phrases : Harmful by inhalation, in contact with skin and if swallowed Risk Phrases : Limited evidence of a carcinogenic effect Risk Phrases : Causes burns Safety Phrases : Do not breathe dust Safety Phrases : Keep away from heat Safety Phrases : Keep away from combustible material Safety Phrases : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice Safety Phrases : Wear suitable protective clothing Safety Phrases : Take off immediately all contaminated clothing Safety Phrases : Wear suitable protective clothing, gloves and eye/face protection Safety Phrases : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) Safety Phrases: Avoid contact with skin



MATERIAL SAFETY DATA SHEET

	Significans of signs : Inhalation and ingestion of, or skin penetration by these substances is harmful to one's health. Non-recurring, recurring or lengthy exposure to these substances may result in irreversible damage.
	Significans of signs : This symbol designates substances which may have an irritant effect on skin, eyes and respiratory organs.
	Significans of signs : Oxidizing substances can ignite combustibile material or worsen existing fires and thus make fire-fighting more difficult.
	Hazard : Living tissue as well as equipment are destroyed on contact with these chemicals.

Section 16. Other Information

WARRANTY :

This document is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Micromaster Laboratories shall not be held liable for any damage resulting from handling or from contact with the above Product. These suggestions should not be confused with state, municipal or insurance requirements, and constitute no warranty.

DISCLAIMER:

For Laboratory use only. Not for drug, household or other uses.

DM1823MSDS, QAD/FR/030, Rev.00/01.01.2018