



PRODUCT SPECIFICATION SHEET

Pseudomonas Agar Medium For Detection of Fluorescein (DM218U)

Intended Use

Pseudomonas Agar Medium For Detection of Fluorescein (DM218U) is recommended for detection of fluorescein production by *Pseudomonas* species in compliance with USP.

Product Summary and Explanation

Pseudomonas aeruginosa is one of the most commonly isolated pathogens, and is the most frequently isolated non-fermentative bacillus in clinical specimens.⁽¹⁾ This organism is a significant cause of burn and nosocomial infections⁽²⁾ The ability of *Pseudomonas aeruginosa* to destroy tissue may be related to the production of various extracellular enzymes.⁽¹⁾ They are also common contaminant of pharmaceutical and cosmetics related preparations. *Pseudomonas* produces phenazine pigments like Pyocyanin- blue green redox-active secondary metabolite pigment, pyorubin-rust brown pigment, -oxyphenazine- a breakdown product of Pyocyanin, pyoverdin-a water soluble yellow green pigments also known as fluorescein. Pseudomonas Agar (For Fluorescein) is based on the formula described by King et al⁽³⁾ and as modified in the U.S. Pharmacopeia⁽⁴⁾ for the detection of fluorescein production a water soluble, chloroform insoluble fluorescent pigment by *Pseudomonas* species.⁽⁵⁾ Both pigments diffuse from *Pseudomonas* colonies into the medium when they grow. This medium shows enhanced elaboration of fluorescein by *Pseudomonas* and inhibits the pyocyanin formation. A yellow fluorescent colouration is observed when the fluorescein pigment diffuses from the colonies of Pseudomonas into the agar. As some Pseudomonas strains produce small amounts of pyocyanin resulting in a yellow-green colouration.

Principles of the Procedure

Pseudomonas Agar Medium For Detection of Fluorescein contains peptic digest of animal tissue and pancreatic digest of casein which provides the essential nitrogenous nutrients, carbon, sulfur and trace elements for the growth of *Pseudomonas*. These nutrients are also favourable to fluorescein production. Peptone and phosphorous in the medium enhance the production of pyoverdin/fluorescein pigment. Dipotassium phosphate buffers the medium while magnesium sulphate provides necessary cations for the activation of fluorescein production. Glycerol is supplemented as a source of carbon.

Formula / Liter

Ingredients	Gms / Litre
Pancreatic digest of casein	10.00
Peptic digest of animal tissue	10.00
Anhydrous dibasic potassium phosphate	1.50
Magnesium sulphate, 7H ₂ O	1.50
Agar	15.00
Final pH: 7.2 ± 0.2 at 25°C	
Formula may be adjusted and/or supplemented as required to meet performance specifications	

Precautions

1. For Laboratory Use only.
2. IRRITANT. Irritating to eyes, respiratory system, and skin.

Directions

1. Suspend 37.23 grams of the medium (the equivalent of dehydrated medium per litre) in one litre purified/distilled water, containing 10 ml glycerin.
2. Heat to boiling to dissolve the medium completely.





PRODUCT SPECIFICATION SHEET

3. Autoclave at 15 lbs pressure (121°C) for 15 minutes/as per validated cycle.

Quality Control Specifications

Dehydrated Appearance	Cream to yellow homogeneous free flowing powder
Prepared Medium	Yellow coloured clear to slightly opalescent gel forms in Petri plates
Reaction of % Solution	Not Applicable
Gel Strength	Firm, comparable with 1.5% Agar gel

Growth Promotion Test

Growth Promotion is carried out in accordance with the harmonized method of USP. Cultural response was observed after an incubation at 33-37°C for not less than 3 days. Recovery rate is considered as 100% for bacteria growth on Soyabean Casein Digest Agar.

Expected Cultural Response: Cultural characteristics observed after incubation at 33-37°C for 18-48 hours. Recovery rate is considered as 100% for bacteria growth on Soyabean Casein Digest Agar.

Sr. No.	Organisms	Results to be achieved					Oxidase
		Inoculum (CFU)	Observed Lot value (CFU)	Recovery	Characteristic colonial morphology	Fluorescence in UV light	
	Test for <i>Pseudomonas aeruginosa</i>						
1.	<i>Pseudomonas aeruginosa</i> ATCC 9027	50-100	35 -100	≥70%	Generally colourless to yellowish	positive	positive
	Additional Microbiological Testing						
2.	<i>Pseudomonas aeruginosa</i> ATCC 27853	50-100	35 -100	≥70%	Generally colourless to yellowish	positive	positive

The organisms listed are the minimum that should be used for quality control testing.

Test Procedure

Refer to appropriate references for standard test procedures.

Results

Examine colonies under ultraviolet light (Wood's lamp).⁽⁵⁾ Take care when using UV illumination because it may have a bactericidal effect. Be sure there is good growth before placing the culture under UV light. A positive result is indicated by a light, bright green-yellow color diffusing into the agar with a fluorescent zone surrounding growth. Refer to appropriate references and standard test procedures for interpretation of results.

Storage

Store the sealed bottle containing the dehydrated medium at 10 - 30°C. Once opened and recapped, place container in a low humidity environment at the same storage temperature. Protect from moisture and light.





PRODUCT SPECIFICATION SHEET

Expiration

Refer to the expiration date stamped on the container. The dehydrated medium should be discarded if not free flowing, or if the appearance has changed from the original color. Expiry applies to medium in its intact container when stored as directed.

Limitations of the Procedure

1. Salt concentration exceeding 2% affects pigment production. UV illumination may be bactericidal, so make sure that there is good growth before placing culture under UV light.⁽⁵⁾
2. For identification, organisms must be in pure culture. Morphological, biochemical and/or serological tests should be performed for final identification.
3. Consult appropriate texts for detailed information and recommended procedures.

Packaging

Product Name : Pseudomonas Agar Medium For Detection of Fluorescein

Product Code : DM218U

Available Pack sizes : 100gm / 500gm

References

1. Baron, E. J., L. R. Peterson, and S. M. Finegold. 1994. Nonfermentative gram-negative bacilli and coccobacilli, p. 386-405. Bailey & Scott's diagnostic microbiology, 9th ed. Mosby-Year Book, Inc. St. Louis, MO.
2. Gilligan, P. H. 1995. Pseudomonas and Burkholderia, p. 509-519. In P. R. Murray, E. J. Baron, M. A. Pfaller, F. C. Tenover, and R. H. Tenover (eds.), Manual of clinical microbiology, 6th ed. American Society of Microbiology, Washington, D.C.
3. King, E. O., M. K. Ward, and E. E. Raney. 1954. Two simple media for the demonstration of pyocyanin and fluorescein. J. Lab. Clin. Med. 44:301.
4. United States Pharmacopeial Convention. 1995. The United States pharmacopeia, 23rd ed. The United States Pharmacopeial Convention, Rockville, MD.
5. MacFaddin, J. F. 1985. Media for isolation-cultivation-identification-maintenance medical bacteria, vol. 1. Williams & Wilkins, Baltimore, MD.

Further Information

For further information please contact your local MICROMASTER Representative.



MICROMASTER LABORATORIES PRIVATE LIMITED DM001PSS,QAD/FR/024,Rev.00/01.01.2018

Unit 38/39, Kalpataru Industrial Estate,
Off G.B. Road, Near 'R-Mall', Thane (W) - 400607. M.S. INDIA.
Ph: +91-22-25895505, 4760, 4681. Cell: 9320126789.

Email: micromaster@micromasterlab.com
sales@micromasterlab.com

Prepared By	Checked By	Approved By
Microbiologist	Head Quality Control	Head Quality Assurance





PRODUCT SPECIFICATION SHEET

Disclaimer :

All Products conform exclusively to the information contained in this and other related Micromaster Publications. Users must ensure that the product(s) is appropriate for their application, prior to use. The information published in this publication is based on research and development work carried out in our laboratory and is to the best of our knowledge true and accurate. Micromaster Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are intended for laboratory, diagnostic, research or further manufacturing use only and not for human or animal or therapeutic use, unless otherwise specified. Statements included herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

