



## PRODUCT SPECIFICATION SHEET

### Glucose Broth (DM321)

#### Intended Use

Glucose Broth (DM321) is recommended for study of dextrose fermentation where pH indicator is not desired.

#### Product Summary and Explanation

Waisbren, Carr and Dunnett used Glucose Broth for testing antibiotic sensitivity by the tube dilution method.<sup>(1)</sup> This medium is also used to study glucose fermentation where pH indicator is not desired. This version of Glucose broth is formulated without the ingredients like beef extract that would contain small amount of carbohydrates, so that glucose the single carbohydrate in the medium. It is a liquid culture medium for faster growth since most microorganisms can use Glucose as their energy source. Thus, the glucose fermentation studies can be performed more accurately using only pure 0.5% glucose as the source of carbohydrate. It's simple formulation makes this medium useful for checking gas production from Glucose if Durham's tubes are used. It does not contain any indicator that could interfere it.

#### Principles of the Procedure

Glucose Broth contains casein enzymic hydrolysate which provides carbon, nitrogen, amino acids and other essential nutrients for bacterial metabolism. The casein enzymic hydrolysate used is free of carbohydrates and glucose is the fermentable carbohydrate source for the bacteria. Sodium chloride maintains osmotic equilibrium of the medium. The broth gives rapid growth and hastens the early development of injured cells.

#### Formula / Liter

Ingredients	Gms / Liter
Casein enzymic hydrolysate	10.00
Glucose	5.00
Sodium chloride	5.00
Final pH: 7.3 ± 0.2 at 25°C	
Formula may be adjusted and/or supplemented as required to meet performance specifications	

#### Precautions

1. For Laboratory Use only.
2. IRRITANT. Irritating to eyes, respiratory system, and skin.

#### Directions

1. Suspend 20 grams of the medium in one liter of distilled water.
2. Heat if necessary to dissolve the medium completely.
3. Dispense in tubes containing inverted Durhams tubes. Sterilize by autoclaving at 118°C for 15 minutes.

#### Quality Control Specifications

Dehydrated Appearance	Cream to yellow homogeneous free flowing powder
Prepared Medium	Light yellow coloured, clear solution without any precipitate
Reaction of 2.0% Solution	pH 7.3 ± 0.2 at 25°C
Gel Strength	Not Applicable





## PRODUCT SPECIFICATION SHEET

**Expected Cultural Response:** Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours.

Sr. No.	Organisms	Results to be achieved		
		Inoculum (CFU)	Growth	Gas
1.	<i>Escherichia coli ATCC 25922</i>	50-100	good-luxuriant	positive reaction
2.	<i>Salmonella Typhi ATCC 6539</i>	50-100	good-luxuriant	negative reaction
3.	<i>Shigella flexneri ATCC 12022</i>	50-100	good-luxuriant	negative reaction
4.	<i>Staphylococcus aureus ATCC 25923</i>	50-100	good-luxuriant	negative reaction
5.	<i>Staphylococcus epidermidis ATCC 12228</i>	50-100	good-luxuriant	negative reaction
6.	<i>Streptococcus pyogenes ATCC 19615</i>	50-100	good-luxuriant	negative reaction

The organisms listed are the minimum that should be used for quality control testing.

### Test Procedure

Refer appropriate references for standard test procedures.

### Results

Refer appropriate references and procedures for interpretation of results.

### Storage

Store the sealed bottle containing the dehydrated medium at 10 - 30°C. Once opened and recapped, place container in a low humidity environment at the same storage temperature. Protect from moisture and light.

### Expiration

Refer to the expiration date stamped on the container. The dehydrated medium should be discarded if not free flowing, or if the appearance has changed from the original color. Expiry applies to medium in its intact container when stored as directed.

### Limitations of the Procedure

1. For identification, organisms must be in pure culture. Morphological, biochemical and/or serological tests should be performed for final identification.
2. Consult appropriate texts for detailed information and recommended procedures.

### Packaging

Product Name : Glucose Broth

Product Code : DM321

Available Pack sizes : 100gm/500gm

### References

1. Oskar Klotz, Temporary Alteration of character of an organism belonging to the colon group. J. of Medical Research, 1994,6, 475.

### Further Information

For further information please contact your local MICROMASTER Representative.





## PRODUCT SPECIFICATION SHEET



**MICROMASTER LABORATORIES PRIVATE LIMITED**




DM312PSSQAD/FR/024,Rev.00/01.01.2018

Unit 38/39, Kalpataru Industrial Estate,  
Near Runwal Estate, Behind 'R-Mall', Ghodbunder Road,  
Thane (W) - 400607. M.S. INDIA.

Ph: +91-22-25895505, 4760, Cell: 9320126789.

Email: [micromaster@micromasterlab.com](mailto:micromaster@micromasterlab.com)

[sales@micromasterlab.com](mailto:sales@micromasterlab.com)

Prepared By	Checked By	Approved By
 01.01.2018	 01.01.2018	 01.01.2018
Microbiologist	Head Quality Control	Head Quality Assurance

### Disclaimer :

All Products conform exclusively to the information contained in this and other related Micromaster Publications. Users must ensure that the product(s) is appropriate for their application, prior to use. The information published in this publication is based on research and development work carried out in our laboratory and is to the best of our knowledge true and accurate. Micromaster Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are intended for laboratory, diagnostic, research or further manufacturing use only and not for human or animal or therapeutic use, unless otherwise specified. Statements included herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

