

# MATERIAL SAFETY DATA SHEET



Section 1. Company Identification and Product Information			
<b>Product Name or Identity:</b> DM566 Perfringens Agar Base (T.S.C./S.F.P. Agar Base)			
<b>Manufacturer's Name &amp; Address</b>	Micromaster Laboratories Private Limited Unit 38/39, Kalpataru Industrial Estate, Off Ghodbunder Road, Nr. 'R-Mall' Thane (W)-400607. M.S. INDIA.	<b>Emergency Phone No. :</b>	9320126789/9833630009/ 9819991103
<b>Reference</b>	According to Regulation (EC) No.1907/2006	<b>Email:</b>	<a href="mailto:sales@micromasterlab.com">sales@micromasterlab.com</a>
Section 2. Composition / Information on Hazardous Ingredients			
Ingredients	Grams/Litre	Ingredients	Grams/Litre
Tryptose	15.00	Beef extract	5.00
Papaic digest of soyabean meal	5.00	Yeast extract	5.00
*Sodium metabisulphite	1.00	*Ferric ammonium citrate	1.00
Agar	15.00		
Final pH (at 25°C) 7.6±0.2			
* Harmful / Irritant material			
	Sodium metabisulphite CAS No. : 7681-57-4 R : 22-31-41 S : 26-39-46 RTECS : UX 8225000		
	Ferric ammonium citrate CAS No. : 1185-57-5 R : 36/37/38 S : 26-36 RTECS : GE 7540000		
Section 3. Health Hazard Identification			
	This symbol designates substances which may have an irritant effect on skin, eyes and respiratory organs. Caution : Do not breathe vapours and avoid contact with skin and eyes.		
	Inhalation and ingestion of, or skin penetration by these substances is harmful to one's health. Non-recurring, recurring or lengthy exposure to these substances may result in irreversible damage. Caution : Avoid contact with the human body, including inhalation of the vapours and in cases of malaise consult a doctor.		
Section 4. First Aid Measures			





# MATERIAL SAFETY DATA SHEET

## Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

In case of swallowing, wash out mouth with water provided person is conscious.

### In case of skin contact

flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes

### In case of eye contact

Wash with copious amounts of water for at least 15 minutes. Assure adequate washing by separating the eyelids with fingers. In serious conditions, call a physician, show the container or label.

## Section 5. Fire and Explosion Hazard Data

### Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special fire-fighting procedures. Wear self contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

#### Advice for firefighters

Special fire-fighting procedures. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## Section 6. Accidental Release Measures

Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

## Section 7. Handling and Storage

**Handling** - Refer to Section 8

**Storage** - Store below 30°C

## Section 8. Exposure Controls / Personal Protection

Wear appropriate NIOSH/MSHA-approved respirator, chemical-resistant gloves, safety goggles, other protective clothing. Mechanical exhaust required.

## Section 9. Physical and Chemical Properties

Appearance : Homogeneous powder

Colour : Light yellow to brownish yellow

## Section 10. Stability and Reactivity

**Stability** : Product is stable if stored as per the conditions specified under storage of Section No. 7. Product loses its potency/performance above 45°C.

**Conditions to avoid** : Heat and light.

Hazardous polymerization will not occur

## Section 11. Toxicological Information

**Acute Effects** : May be harmful if swallowed.

**Exposure can cause** : Stomach pains, vomiting, diarrhoea. Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

**RTECS No.** : LZ 5901700 MD 0907700

For complete information RTECS may be referred.

## Section 12. Ecological Information

# MATERIAL SAFETY DATA SHEET



Data not available

## Section 13. Disposal Considerations

On completion of work all used or unusable preparations of this product and derivatives thereof are to be disposed off by autoclaving and/or by incineration. Dispose off waste in accordance with all applicable Federal, State and local laws.

## Section 14. Transport Information

UN No. : Not applicable.

## Section 15. Regulatory Information

Risk Phrases : Harmful if swallowed

Risk Phrases : Contact with acids liberates toxic gas

Risk Phrases : Risk of serious damage to eyes

Risk Phrases : Irritating to eyes, respiratory system and skin

Safety Phrases : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

Safety Phrases : Wear eye/face protection

Safety Phrases : If swallowed, seek medical advice immediately and show this container or label

Safety Phrases : Wear suitable protective clothing



Significance of signs: This symbol designates substances which may have an irritant effect on skin, eyes and respiratory organs.



Significance of signs: Inhalation and ingestion of, or skin penetration by these substances is harmful to one's health. Non-recurring, recurring or lengthy exposure to these substances may result in irreversible damage.

## Section 16. Other Information

### WARRANTY :

This document is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Micromaster Laboratories shall not be held liable for any damage resulting from handling or from contact with the above Product. These suggestions should not be confused with state, municipal or insurance requirements, and constitute no warranty.

### DISCLAIMER:

For Laboratory use only. Not for drug, household or other uses.

DM566MSDS, QAD/FR/030, Rev.00