



PRODUCT SPECIFICATION SHEET

Purple Broth Base (DM584)

Intended Use

Purple Broth Base (DM584) is recommended for carbohydrate fermentation studies, with added carbohydrates and for the cultural identification of pure cultures of enteric and other microorganisms.

Product Summary and Explanation

The fermentative properties of bacteria are valuable criteria in their identification.^(1,2) A basal medium for determining the fermentation reactions of microorganisms must be capable of supporting the growth of test organisms and free from fermentable carbohydrates. Vera⁽³⁾ originally formulated Purple media which were further modified by addition of beef extract.⁽⁴⁾ Purple Broth Base is a carbohydrate-free media with a slightly acid pH that, when supplemented with carbohydrates, are useful in obtaining accurate fermentation reactions, particularly in the identification of gram-negative enteric bacteria.^(5,6) This medium is recommended by FDA⁽⁷⁾ for fermentation studies of sugars.

Principles of the Procedure

Purple Broth Base contains peptone special and beef extract which provides nitrogen sources and other essential nutrients required for the growing organisms. Sodium chloride maintains the osmotic balance of the medium. Bromocresol purple is the pH indicator, which turns yellow at acidic pH. The acid produced during the fermentation of carbohydrate causes bromocresol purple, the pH indicator to turn yellow. If the carbohydrate is not utilized or fermented, the color of the medium remains unchanged or becomes more alkaline (darker purple) due to decarboxylation of the amino acids present in the medium. Gas production is evident by its collection in Durham's tube.

Formula / Liter

Ingredients	Gms / Liter
Peptone, special	10.00
Sodium chloride	5.00
Bromo cresol purple	0.02
Final pH : 6.8 ± 0.2 at 25°C	
Formula may be adjusted and/or supplemented as required to meet performance specifications	

Precautions

1. For Laboratory Use only.
2. IRRITANT. Irritating to eyes, respiratory system, and skin.

Directions

1. Suspend 15.02 grams of the medium in one liter of distilled water.
2. Add 5 - 10 grams of the carbohydrate to be tested.
3. Heat if necessary to dissolve the medium completely.
4. Dispense in tubes, containing inverted Durhams tubes as desired.
5. Autoclave at 121°C, 15 psi pressure, for 15 minutes / validated cycle.
6. Alternatively sterilize the basal medium prepared using 900 ml distilled water and add 100 ml separately sterilized 5 - 10% solution of the desired carbohydrate to it.





PRODUCT SPECIFICATION SHEET

Quality Control Specifications

Dehydrated Appearance	Light yellow to light green homogeneous free flowing powder
Prepared Medium	Purple coloured clear solution in tubes
Reaction of 1.5% Solution	pH : 6.8 ± 0.2 at 25°C
Gel Strength	Not applicable

Expected Cultural Response: Cultural characteristics observed after an incubation at 35-37°C for 18-48 hours with and without addition of 1% Dextrose.

Sr. No.	Organisms	Results to be achieved					
		Inoculum (CFU)	Growth	Acid (without carbohydrate)	Gas (without Carbohydrate -rate)	Acid (with 1% dextrose)	Gas (with 1% dextrose)
1.	<i>Escherichia coli</i> ATCC 25922	50 -100	luxuriant	negative reaction, no colour change	negative reaction	positive reaction, yellow colour	positive reaction
2.	<i>Listeria monocytogenes</i> ATCC 19112	50 -100	luxuriant	negative reaction, no colour change	negative reaction	positive reaction, yellow colour (fermentative metabolism)	negative reaction
3.	<i>Neisseria meningitides</i> ATCC 13090	50 -100	good-luxuriant	negative reaction, no colour change	negative reaction	positive reaction, yellow colour	negative reaction
4.	<i>Staphylococcus aureus</i> ATCC 25923	50 -100	luxuriant	negative reaction, no colour change	negative reaction	positive reaction, yellow colour	negative reaction

The organisms listed are the minimum that should be used for quality control testing.

Test Procedure

The broth is inoculated with 18 to 24 hours old pure culture and incubated at 35 ± 2°C for 24 to 72 hours (upto 30 days if necessary) either in an aerobic or anaerobic atmosphere depending on the organism being tested. Refer to appropriate references for standard test procedures.

Results

Refer to appropriate references and test procedures for interpretation of results.

Storage

Store the sealed bottle containing the dehydrated medium at 10 - 30°C. Once opened and recapped, place container in a low humidity environment at the same storage temperature. Protect from moisture and light.





PRODUCT SPECIFICATION SHEET

Expiration

Refer to the expiration date stamped on the container. The dehydrated medium should be discarded if not free flowing, or if the appearance has changed from the original color. Expiry applies to medium in its intact container when stored as directed.

Limitations of the Procedure

1. It is recommended⁽⁶⁾ to add carbohydrate in 1% concentration to avoid possible reversion reactions except glucose (dextrose).
2. If the medium containing carbohydrate is sterilized by autoclaving, precautions should be taken to use minimum amount of heat required for sterilization to avoid hydrolysis of the carbohydrate.
3. For identification, organisms must be in pure culture. Morphological, biochemical and/or serological tests should be performed for final identification.
4. Consult appropriate texts for detailed information and recommended procedures.

Packaging

Product Name : Purple Broth Base

Product Code : DM584

Available Pack sizes : 500gm

References

1. MacFaddin. 2000. Biochemical tests for identification of medical bacteria, 3rd ed., Lippincott Williams & Wilkins, Baltimore, Md.
2. Forbes, Sahm and Weissfeld. 2007. Diagnostic microbiology, 12th ed. Mosby, Inc., St. Louis, Mo.
3. Vera H. D., 1950, Am. J. Public Health, 40:1267.
4. Finegold S. M. and Baron E. J., 1986, Bailey and Scotts Diagnostic Microbiology, 7th Ed., The C.V. Mosby Co., St. Louis.
5. Ewing W. H., 1986, Edwards and Ewings identification of Enterobacteriaceae , 4th ed. Elsevier Science Publishing Co, Inc., New York, N.Y.
6. Forbes B. A., Sahm A. S., and Weissfeld D. F., 1998, Bailey & Scotts Diagnostic Microbiology, 10th Ed., Mosby, Inc., St. Louis, Mo.
7. FDA Bacteriological Analytical Manual, 2005, 18th Ed., AOAC, Washington, DC.
8. MacFaddin J. F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. Wilkins, Baltimore and I Williams.

Further Information

For further information please contact your local MICROMASTER Representative.



MICROMASTER LABORATORIES PRIVATE LIMITED

DM584PSS,QAD/FR/024,Rev.00/01.01.2018

Unit 38/39, Kalpataru Industrial Estate,
Near Runwal Estate, Behind 'R-Mall' ,Ghodbunder Raod,
Thane (W) - 400607. M.S. INDIA.

Ph: +91-22-25895505, 4760, Cell: 9320126789.



Email: micromaster@micromasterlab.com

sales@micromasterlab.com





PRODUCT SPECIFICATION SHEET

Prepared By	Checked By	Approved By
 01.01.2018	 01.01.2018	 01.01.2018
Microbiologist	Head Quality Control	Head Quality Assurance

Disclaimer :

All Products conform exclusively to the information contained in this and other related Micromaster Publications. Users must ensure that the product(s) is appropriate for their application, prior to use. The information published in this publication is based on research and development work carried out in our laboratory and is to the best of our knowledge true and accurate. Micromaster Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are intended for laboratory, diagnostic, research or further manufacturing use only and not for human or animal or therapeutic use, unless otherwise specified. Statements included herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

