

PRODUCT SPECIFICATION SHEET

Gram's Decolourizer(SI002)

Use

Gram's Decolourizer is used for Gram's staining.

Principle

Gram staining basically involve six basic steps:

1. Preparation of smear
2. Fixing of smear by heating
3. Staining with crystal violet
4. Use of mordant (iodine)
5. Treatment with alcohol-acetone for decolourisation
6. Counter staining with safranin

The air-dried, fixed smear of bacteria, when treated with crystal violet stain (Gram stain) and the mordant (iodine), picks up the stain, and looks purple. Iodine, which acts as a mordant, enhances the union between the dye and the internal contents of the organism. The subsequent step, alcohol-acetone treatment, takes away the colour and decolorizes some bacteria, which are designated as gram negative. On the other hand, gram positive bacteria will retain the colour. Following decolourization, counterstaining with safranin stains the gram negative bacteria red while the gram positive bacteria retain the original crystal violet stain (Gram stain). When viewed under the microscope the gram negative organisms are red in colour and the gram positive organisms are purple in colour.

Ingredients

Sr. No.	Item /Ingredients	Grams / Liter
1.	Acetone	500
2.	Ethyl alcohol 95%	500

Storage And Stability

1. Store the bottle in dry, cool and dark place.
2. The shelf life of reagents is as per the expiry date mentioned on the reagent bottle labels.

Procedure

1. Transfer the specimen to a clean microscope slide. Prepare a smear and air dry.
2. Heat-fix the slide by passing through the flame and place on a staining rack with smear side up.
3. Flood the slide with **Gram Crystal Violet** (SI010) for 1 minute.
4. Rinse with tap water and flood with **Gram Iodine** (SI016).
5. Wait for 1 minute and rinse with water.
6. Decolorize with **Gram Decolorizer** (SI 002) until no more dye is released. Immediately rinse with tap water.
7. Flood the slide with **Gram Safranin** (SI028) for 30 seconds and rinse.
8. Wipe any stain that remains off the back of the slide and blot dry or air dry completely.

PRECAUTIONS

1. For Invitro Diagnostic use only
2. Overheating of organisms during fixing process may disintegrate organisms on the smear.
3. Decolorizing process timing depends upon the thickness of smear and adequate allowance should be given depending upon the tube of the specimen.



PRODUCT SPECIFICATION SHEET

4. Product to be used only by adequately trained and qualified laboratory personnel.

QUALITY CONTROL

Appearance: Colorless solution

Microscopic Examination

Using Gram's Decolourizer as a stain, gram staining is carried out and staining characteristics of microorganisms are observed under microscope by using oil immersion lens.

Run controls using 18-24 hour standard ATCC cultures of known gram-positive and gram-negative microorganisms. The following test strains are recommended:

Organism	Expected Results	
<i>Staphylococcus aureus</i> ATCC 25923	Gram-positive cocci	Dark purple colored
<i>Escherichia coli</i> ATCC 25922	Gram-negative rods	Red or pink colored

Packaging

Product Name : **Gram⁺ Decolourizer**

Product Code : **SI002**

Available Pack sizes : **500ml/125ml**

Further Information

For further information please contact your local MICROMASTER Representative.



MICROMASTER LABORATORIES PRIVATE LIMITED
Unit 38/39, Kalpataru Industrial Estate,
Off G.B. Road, Near 'R-Mall', Thane (W) - 400607. M.S. INDIA.
Ph: +91-9320126789/9833630009/9819991103.
Email: sales@micromasterlab.com

SI002,PSS, QAD/FR/024,Rev.00

Disclaimer :

All Products conform exclusively to the information contained in this and other related Micromaster Publications. Users must ensure that the product(s) is appropriate for their application, prior to use. The information published in this publication is based on research and development work carried out in our laboratory and is to the best of our knowledge true and accurate. Micromaster Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are intended for laboratory, diagnostic, research or further manufacturing use only and not for human or animal or therapeutic use, unless otherwise specified. Statements included herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents

